

# LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



## Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment



**T8 - Nano Plastic**

**10W** VT-6072

6229 - 3000K Warm White  
6230 - 4000K Day White  
6231 - 6400K White

EAN Code

3800157605212  
3800157605229  
3800157605236


BOX QTY.

**25**

**A+**



EQ. Watts:	<b>18W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>850lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 600mm</b>	Gross weight:	<b>125 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



Dummy Starter  
Included



**NON-ROTATABLE**

**T8 - Nano Plastic**

**10W** VT-6072

6392 - 3000K Warm White  
6393 - 4000K Day White  
6394 - 6400K White

EAN Code

3800157625296  
3800157625302  
3800157625319


BOX QTY.

**25**

**A+**



EQ. Watts:	<b>18W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>850lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 600mm</b>	Gross weight:	<b>125 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



Dummy Starter  
Included



**T8 - Nano Plastic**

**14W** VT-9077

6272 - 4000K Day White  
6262 - 6400K White




Dummy Starter  
**Included**

BOX QTY.

**25**

EAN Code

3800157615419  
3800157612128



EQ. Watts:	<b>25W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1200lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 900mm</b>	Gross weight:	<b>145.6 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Nano Plastic**

**18W** VT-1277

6263 - 3000K Warm White  
6273 - 4000K Day White  
6264 - 6400K White




Dummy Starter  
**Included**

BOX QTY.

**25**

EAN Code

3800157612135  
3800157615426  
3800157612142



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1700lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 1200mm</b>	Gross weight:	<b>200 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Nano Plastic**

**22W** VT-1577

6265 - 3000K Warm White  
6309 - 4000K Day White  
6310 - 6400K White




Dummy Starter  
**Included**

BOX QTY.

**25**

EAN Code

3800157612159  
3800157617437  
3800157617444



EQ. Watts:	<b>58W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>2000lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x1500mm</b>	Gross weight:	<b>283.4 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**60CM**  
**9W** VT-6085


**6299 - 3000K Warm White**  
**6301 - 4000K Day White**  
**6302 - 6400K White**

BOX QTY.

**25**

EAN Code

3800157617345  
3800157617352  
3800157617369



**120<sup>++</sup>**  
**LM/W**  
**HIGH LUMENS**



Dummy Starter  
**Included**

EQ. Watts:	<b>25W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1100lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 600mm</b>	Gross weight:	<b>125 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**120CM**  
**18W** VT-1285


**6303 - 3000K Warm White**  
**6304 - 4000K Day White**  
**6305 - 6400K White**

BOX QTY.

**25**

EAN Code

3800157617376  
3800157617383  
3800157617390



**120<sup>++</sup>**  
**LM/W**  
**HIGH LUMENS**



Dummy Starter  
**Included**

EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>2250lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x 1200mm</b>	Gross weight:	<b>200 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**150CM**  
**22W** VT-1585


**6306 - 3000K Warm White**  
**6307 - 4000K Day White**  
**6308 - 6400K White**

BOX QTY.

**25**

EAN Code

3800157617406  
3800157617413  
3800157617420



**120<sup>++</sup>**  
**LM/W**  
**HIGH LUMENS**



Dummy Starter  
**Included**

EQ. Watts:	<b>75W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>3000lm</b>	Body Type:	<b>Nano-Plastic</b>	Life span:	<b>30,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>27.9mm x1500mm</b>	Gross weight:	<b>283.4 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Shoplite Nano Plastic**

**18W** VT-6077

6313 - 4000K Day White  
6314 - 6400K White

EAN Code

3800157618656  
3800157618663

BOX QTY.

**10**

**A++**

**120<sup>++</sup>** LM/W  
**HIGH LUMENS**

EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC: 200-240V, 50/60Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>2500lm</b>	Body Type:	<b>Nano Plastic</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>18.5mm x 549mm</b>	Gross weight:	<b>250 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Shoplite Nano Plastic**

**36W** VT-12077

6315 - 4000K Day White  
6316 - 6400K White

EAN Code

3800157618670  
3800157618687

BOX QTY.

**10**

**A++**

**120<sup>++</sup>** LM/W  
**HIGH LUMENS**

EQ. Watts:	<b>72W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC: 200-240V, 50/60Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>4500lm</b>	Body Type:	<b>Nano Plastic</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>18.5mm x 1149mm</b>	Gross weight:	<b>400 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T5 - Glass with PET**

**8W** VT-6005

6318 - 4000K Day White  
6319 - 6400K White

BOX QTY.  
**25**

EAN Code  
3800157619271  
3800157619288



EQ. Watts:	<b>14W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G5</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>18.4mm x 549mm</b>	Gross weight:	<b>128 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T5 - Glass with PET**

**16W** VT-1225

6320 - 4000K Day White  
6321 - 6400K White

BOX QTY.  
**25**

EAN Code  
3800157619295  
3800157619301



EQ. Watts:	<b>28W</b>	PF:	<b>&gt;0.5</b>	Holder:	<b>G5</b>
Voltage/Frequency:	<b>AC:220-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1600lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>18.4mm x 1149mm</b>	Gross weight:	<b>213 g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T8 - Aluminum Body**

**40W** VT-1840

6251 - 4500K Day White  
6250 - 6000K White

BOX QTY.  
**25**

EAN Code  
3800157607841  
3800157607834



EQ. Watts:	<b>80W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:85-265V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>3800lm</b>	Body Type:	<b>Aluminum+PC</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>28mm x 1800mm</b>	Gross weight:	<b>700g</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T8 - Glass Bakery Tube**

**18W** VT-1228

**SKU 6322**

**BOX QTY.**  
**25**

**EAN Code**  
3800157619318



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:180-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>990lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>26mm x 1200mm</b>	Gross weight:	<b>380 g</b>
CRI:	<b>&gt;95</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T8 - Glass Meat Tube**

**18W** VT-1228

**SKU 6323**

**BOX QTY.**  
**25**

**EAN Code**  
3800157619325



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:180-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1530lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>26mm x 1200mm</b>	Gross weight:	<b>380 g</b>
CRI:	<b>&gt;95</b>	Instant start :	<b>0-100% in &lt;1s</b>		




**T8 - Glass Vegetable**

**18W** VT-1228


**SKU 6324**

**BOX QTY.**  
**25**

**EAN Code**  
3800157619332



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:180-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>990lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>26mm x 1200mm</b>	Gross weight:	<b>380 g</b>
CRI:	<b>&gt;95</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Glass Seafood Tube**

**18W** VT-1228

SKU 6325

EAN Code


3800157619349

BOX QTY.

**25**



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:180-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>1530lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>26mm x 1200mm</b>	Gross weight:	<b>380 g</b>
CRI:	<b>&gt;95</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**T8 - Glass Plant Growing Tube**

**18W** VT-1228

SKU 6326

EAN Code

3800157619356

BOX QTY.


**25**



EQ. Watts:	<b>36W</b>	PF:	<b>&gt;0.9</b>	Holder:	<b>G13</b>
Voltage/Frequency:	<b>AC:180-240V, 50Hz</b>	Beam Angle:	<b>160°</b>	On/Off:	<b>&gt;15000</b>
Luminous Flux:	<b>860lm</b>	Body Type:	<b>Glass with PET</b>	Life span:	<b>20,000 Hours</b>
LED Type:	<b>SMD</b>	Dimension:	<b>26mm x 1200mm</b>	Gross weight:	<b>380 g</b>
CRI:	<b>&gt;95</b>	Instant start :	<b>0-100% in &lt;1s</b>		



NEW



**120CM - Linkable LED Batten Fitting**

40W VT-80404


- 6389 - 3000K Warm White
- 6390 - 4000K Day White
- 6391 - 6400K White

EAN Code  
 3800157625104  
 3800157625111  
 3800157625128

BOX QTY.


10

A+



Sensor Compatible:	Yes	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:100-240V, 50/60Hz	Beam Angle:	120°	Life span:	30,000 hours
Luminous Flux:	3200lm	Body Type:	Aluminum+Plastic	Gross weight:	500 g
LED Type:	SMD	IP Rating:	IP20		
CRI:	>80	Dimension:	1200 x 75 x 26mm		

NEW



**180CM - LED Batten Fitting**

60W VT-8065

- 6434 - 4000K Day White
- 6435 - 6400K White

EAN Code  
 3800157628235  
 3800157628242

BOX QTY.

10

A+

Sensor Compatible:	Yes	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:100-240V, 50/60Hz	Beam Angle:	110°	Life span:	30,000 hours
Luminous Flux:	7200lm	Body Type:	Aluminum+Plastic	Gross weight:	500 g
LED Type:	SMD	IP Rating:	IP20		
CRI:	>80	Dimension:	1800 x 75 x 23mm		

# Prismatic Fittings

Providing comparatively better light levels to current linear fluorescent systems, V-TAC's Prismatic fittings are available in three colour options and sizes as mentioned below.



**30CM**

10w | 800 lm

**A+**

**60CM**

20w | 1600 lm

**A+**

**120CM**

40w | 3200 lm

**A+**

**150CM**

50w | 4000 lm

**A+**

**180CM**

60w | 4800 lm

**A+**

## Salient Features

- ❖ Stable SMD technology which makes the product more reliable and long-lasting.
- ⚡ 50% less power consumption compared to traditional grill fitting lighting
- 🌀 Sturdy Aluminium body of the fitting controls heat transmittance
- ☀️ PC diffuser allows for even light distribution
- 📏 Stylish shapes present opportunities to install anywhere
- 🌊 Soft light emission
- 📏 Variety of sizes to choose from



**30CM - Prismatic**

**10W** VT-8013


- 4987 - 3000K Warm White
- 4988 - 4000K Day White
- 4989 - 6000K White

BOX QTY.

**10**

EAN Code

- 3800157601955
- 3800157601962
- 3800157601979



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:100-240V, 50Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>900lm</b>	Body Type:	<b>Aluminum+Plastic</b>	Gross weight:	<b>260 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>300 x 75 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**60CM - Prismatic**

**20W** VT-8020


- 4990 - 3000K Warm White
- 4991 - 4000K Day White
- 4992 - 6000K White

BOX QTY.

**10**

EAN Code

- 3800157601986
- 3800157601993
- 3800157602006



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:100-240V, 50Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>1800lm</b>	Body Type:	<b>Aluminum+Plastic</b>	Gross weight:	<b>420 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>600 x 75 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**120CM - Prismatic**

**40W** VT-8040


- 4993 - 3000K Warm White
- 4994 - 4000K Day White
- 4995 - 6000K White

BOX QTY.

**10**

EAN Code

- 3800157602013
- 3800157602020
- 3800157602037



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:100-240V, 50Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>3600lm</b>	Body Type:	<b>Aluminum+Plastic</b>	Gross weight:	<b>840 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1200 x 75 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**150CM - Prismatic**


**50W** VT-8050

6254 - 4000K Day White  
6253 - 6000K White

BOX QTY.  
**20**

EAN Code

3800157609579  
3800157609562



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;10000</b>
Voltage/Frequency:	<b>AC: 100-240V, 50Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>4000 lm</b>	Body Type:	<b>Aluminum+Plastic</b>	Gross weight:	<b>1000g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1500 x 75 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**180CM - Prismatic**


**60W** VT-8060

6311 - 4000K Day White  
6312 - 6000K White


BOX QTY.  
**20**

EAN Code

3800157617574  
3800157617581



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;10000</b>
Voltage/Frequency:	<b>AC: 100-240V, 50Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>4800lm</b>	Body Type:	<b>Aluminum+Plastic</b>	Gross weight:	<b>1200g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1800 x 75 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**120CM - Linear Light**

**36W** VT-12042

6202 - 4500K Day White  
6203 - 6000K White

8071 Wire  
8072 Joint

EAN Code


3800157604024  
3800157604031

BOX QTY.  
**12**

**A+**

Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:85-265V/50-60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>2900lm</b>	Body Type:	<b>IRON+PC</b>	Gross weight:	<b>700 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1187 x 54 x 36mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		





Upto 5Pcs Interlinkable

**30CM**  
**T5 Complete Fixture**  
**4W** VT-3033


6166 - 3000K Warm White  
 6167 - 4500K Day White  
 6168 - 6000K White

**BOX QTY.**

**50**

EAN Code


3800230629159  
 3800230629166  
 3800230629173



**A+**

**On/Off switch**  
 Feeding Cable - 100mm with open ends

Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;10000</b>
Voltage/Frequency:	<b>AC:200-240V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>360lm</b>	Body Type:	<b>Plastic</b>	Gross weight:	<b>140 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>300 x 22 x 33mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



Upto 5Pcs Interlinkable

**60CM**  
**T5 Complete Fixture**  
**7W** VT-6073


6169 - 3000K Warm White  
 6170 - 4500K Day White  
 6171 - 6000K White

**BOX QTY.**

**50**

EAN Code

3800230629180  
 3800230629197  
 3800230629203



**A+**

**On/Off switch**  
 Feeding Cable - 100mm with open ends

Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;10000</b>
Voltage/Frequency:	<b>AC:200-240V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>630lm</b>	Body Type:	<b>Plastic</b>	Gross weight:	<b>210 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>600 x 22 x 33mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



Upto 5Pcs Interlinkable

**120CM - T5 Tube**  
**With Fitting**

**14W** VT-1273


6172 - 3000K Warm White  
 6173 - 4500K Day White  
 6174 - 6000K White

**BOX QTY.**

**50**

EAN Code

3800230629210  
 3800230629227  
 3800230629234



**A+**

Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;10000</b>
Voltage/Frequency:	<b>AC:200-240V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>1260lm</b>	Body Type:	<b>Plastic</b>	Gross weight:	<b>300 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1200x 22 x 33mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**Cabinet Light**

**10W** VT-8112


- 5068 - 3000K Warm White
- 5069 - 4500K Day White
- 5070 - 6000K White

BOX QTY.

**12**

EAN Code

- 3800157606714
- 3800157606721
- 3800157606738



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.5</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:220-240V, 50/60Hz</b>	Beam Angle:	<b>110°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Aluminum Body, Plastic Diffuser</b>	Gross weight:	<b>600 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>579 x 78 x 35mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**Wall Fitting**

**10W** VT-8111


- 5071 - 3000K Warm White
- 5072 - 4500K Day White
- 5073 - 6000K White

BOX QTY.

**25**

EAN Code

- 3800157606745
- 3800157606752
- 3800157606769



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.6</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:85-265V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>900lm</b>	Body Type:	<b>Aluminum+PC</b>	Gross weight:	<b>240 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>600 x 32 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		



**Wall Fitting**

**20W** VT-8121


- 5074 - 3000K Warm White
- 5075 - 4500K Day White
- 5076 - 6000K White

BOX QTY.

**25**

EAN Code

- 3800157606776
- 3800157606783
- 3800157606790



Sensor Compatible:	<b>Yes</b>	PF:	<b>&gt; 0.6</b>	On/Off:	<b>&gt;15000</b>
Voltage/Frequency:	<b>AC:85-265V, 50/60Hz</b>	Beam Angle:	<b>120°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>1800lm</b>	Body Type:	<b>Aluminum+PC</b>	Gross weight:	<b>370 g</b>
LED Type:	<b>SMD</b>	Dimension:	<b>1200x 32 x 25mm</b>		
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt;1s</b>		

BOX QTY.  
 20

BOX QTY.  
 20

BOX QTY.  
 20

BOX QTY.  
 20



MODEL No.	VT-16010	VT-12020	VT-15020	VT-18011
SKU Code	6052	6054	6056	6151
Body Type	Aluminum	Aluminum	Aluminum	Aluminum
IP Rating	IP20	IP20	IP20	IP20
Size	635 x 45 x 80mm	1235 x 45 x 80mm	1530 x 45 x 80mm	1830 x 45 x 80mm
EAN Code	3800230624642	3800230624666	3800230624680	3800230627926

BOX QTY.  
 20

BOX QTY.  
 12

BOX QTY.  
 12



MODEL No.	VT-16011	VT-12021	VT-15021
SKU Code	6053	6055	6057
Body Type	Aluminum	Aluminum	Aluminum
IP Rating	IP20	IP20	IP20
Size	635 x 110 x 80mm	1235 x 110 x 80mm	1530 x 110 x 80mm
EAN Code	3800230624659	3800230624673	3800230624697

Batten Fixtures for our T8 LED Tubes so they can be used in a variety of different applications such as public areas like hotels, restaurants or hospitals.