

## DECLARATION OF CONFORMITY

We, the Manufacturer **ELITE DÉCOR PrJSC**,  
48 Vyshgorodskaya Str., Kiev, 04114, Ukraine,  
declare that the product **MOULDINGS IN POLYURETHANE**  
is in conformity with described below:

**Composition:** Polyurethane integral foam. This is a composition of:

- Polyether polyol (42%)
  - o Dipropylene glycol
  - o Tetrafluoroethane
  - o Diphenylmethane
- Diphenylmethane Diisocyanate (58%)

**This product is free of:** CFC, cyanides, asbestos

**Density:** 250-400 kg/m<sup>3</sup>

**Hardness:** Above 30; up to 55 Shore, scale D

**Ignition temperature:** Higher than 350 °C

**Temperature range without degradation:** -25 °C/+70 °C

**Coefficient of linear thermal expansion:** 40-60\*10<sup>-6</sup>K<sup>-1</sup>

**Primed:** Matt/semi-matt, white primer for painting

**Chemical properties:** Does not deteriorate and resistant to most common solvent and moisture

**Physical properties:** Shock and splitting resistant

**Influence of time:** Dimensionally stable: will not alter by time

**Influence of humidity:** Has no influence on the mechanical properties


**Influence of sound:** Polyurethane is acoustically neutral

**Influence of light and sun:** Not UV-resistant. UV-resistant after final painting

**Toxic:** The product itself has low oral toxicity

**Indoor VOC emissions class:** A+

**CE MARKING:**



\* Indoor VOC inhalation risk scaled from A+ (very low emission) to C (high emission)



(EC conformity marking)

This certificate is issued by:

ELITE DÉCOR PrJSC

Dated:

27<sup>th</sup> January 2015

Signed:

Volodymyr Somin, Director

